



कार्यालय नगर निगम, मेरठ



पत्रांक-1736/प्र0न0स्वा0अधि0-न0नि0मे0/2023

दिनांक- 29.03.23

अनापत्ति प्रमाण-पत्र

प्रधानाचार्य,
सेन्ट जोन्स सीनियर सेकेन्ड्री स्कूल
मेरठ।

आपके द्वारा वित्तीय वर्ष 2023-24 के लिये अनापत्ति प्रमाण-पत्र निर्गत करने हेतु अनुरोध किया गया है।

उक्त के सम्बन्ध में क्षेत्रीय सफाई एवं खाद्य निरीक्षक द्वारा निरीक्षण किया गया, निरीक्षण दौरान पाया गया कि:-


- 1- स्कूल में सभी कक्षरूम स्वच्छ एवं हवादार है।
- 2- स्कूल में पीने के पानी की उचित व्यवस्था पायी गयी।
- 3- स्कूल में यूरिनल व शौचालय साफ- सुथरे एवं पर्याप्त व्यवस्था में पाये गये तथा इनकी सफाई हेतु कर्मचारी उपस्थित पाये गये।
- 4- स्कूल प्रांगण एवं आस- पास में सफाई व्यवस्था संतोषजनक पायी गयी।

अतः उक्त के सम्बन्ध में सेन्ट जोन्स सीनियर सेकेन्ड्री स्कूल, मेरठ को अनापत्ति प्रमाण- पत्र इस शर्त के अनुसार निर्गत किया जाता है कि स्कूल में उक्त सभी व्यवस्थायें भविष्य में भी बनाये रखेंगे। नियमों का अनुपालन न करने की स्थिति में अनापत्ति प्रमाण-पत्र निरस्त कर दिया जायेगा। यह अनापत्ति प्रमाण पत्र वित्तीय वर्ष 2023-24 के लिये मान्य है। स्वास्थ्य एवं जलवायु की दृष्टि से कोई आपत्ति नहीं है।

29/03/2023.

प्रभारी नगर स्वास्थ्य अधिकारी
मेरठ। अधिकारी
नगर स्वास्थ्य
नगर निगम, मेरठ।


PRINCIPAL
St. John's Sr. Sec. School
Meerut Cantt.


Manager
St. John's Sr. Sec. School
Meerut Cantt



GREEN ENVIRO TECH SERVICES PVT. LTD.

An Analytical Laboratory

(AN ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified)

Plot No.-69, Kherli Hafizpur, Gr. Noida, G.B. Nagar-203202

E-mail : getslab2024@gmail.com | Website : www.getslab.in

Ph.: 9971888596, 9927955952, 8800716254, 9719569969, 8218823578



TEST REPORT

Drinking Water

Test Report Number	GES/R0526/02001	Issued Date:	07.05.2026
Customer Name & Address	Issued to: M/s ST.JOHNS SENIOR SECONDARY PUBLIC SCHOOL 117, BANK STREET, MEERUT CANTT, MEERUT, U.P-250001		
DETAILS OF SAMPLE			
Job Order Number	GES/2026/05W02001	Sample Receiving Date	02.05.2026
Sample Description	One Sample of Drinking Water	Sample Quantity	2 L
Sampling Location	From RO	Sample Packing	Plastic Bottle
Sampling Date	02.05.2026	Sample Marking	RO/Drinking Water
Sampling Protocol	GES/CH/SOP/7.3-04	Type of Sampling	Grab Sampling
Weather Condition	Clear	Analysis Start Date	04.05.2026
Sampling Done by	GETS Laboratory Representative	Analysis End Date	07.05.2026

RESULTS

WATER QUALITY ANALYSIS

S. No	Parameters	Unit	Results	Max Requirement as per (IS-10500-2012) Amnd4		Test Method
				Acceptable	Permissible (in absence of alternate source)	
1	pH Value at 25 °C	-	7.05	6.5-8.5	No Relaxation	IS: 3025 (Part-11)2022
2	Color	Hazen	<5	5	15	IS: 3025 (Part-04)2021
3	Turbidity	NTU	<1	1	5	IS: 3025 (Part-10)2023
4	Total Dissolved Solids	mg/l	156	500	2000	IS: 3025 (Part-16)2023
5	Total Alkalinity (as CaCO ₃)	mg/l	48	200	600	IS: 3025 (Part-23)2023
6	Total Hardness (as CaCO ₃)	mg/l	52	200	600	IS: 3025 (Part-21)2009RA2023
7	Calcium (as Ca)	mg/l	13	75	200	IS: 3025 (Part-40)2024
8	Magnesium (as Mg)	mg/l	4.8	30	100	IS: 3025 (Part-46)2023
9	Chloride (as Cl)	mg/l	46	250	1000	IS: 3025 (Part-32)2025
10	Nitrate (as NO ₃)	mg/l	2.1	45	No Relaxation	IS: 3025 (Part-34/Sec-1)2024
11	Fluoride (as F)	mg/l	0.1	1	1.5	IS: 3025 (Part-60)2023
12	Sulphate as (SO ₄)	mg/l	12	200	400	IS: 3025 (Part-24/Sec-1)2022
13	Iron as Fe	mg/l	<0.1	1.0	No Relaxation	IS: 3025 (Part-53)2024
14	Zinc as Zn	mg/l	<0.1	5	15	IS: 3025 (Part-49)2024



Green Enviro Tech Services Pvt. Ltd.

Authorized by
Dhanendra Kumar
Quality Manager
Page 1 of 01
End of Report

Terms & Conditions :

1. Sample Will be retained for 15 days from the date of issue of test report.
2. The results given above are related only to the sample tested or sampled and tested thereafter
3. This report cannot be used as evidence in court of law without the written approval of the lab.
4. Report shall not be reproduced, except in full, without prior written approval of the laboratory.





GREEN ENVIRO TECH SERVICES PVT. LTD.

An Analytical Laboratory

(AN ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified)

Plot No.-69, Kherli Hafizpur, Gr. Noida, G.B. Nagar-203202

E-mail : getslab2024@gmail.com | Website : www.getslab.in

Ph.: 9971888596, 9927955952, 8800716254, 9719569969, 8218823578



TEST REPORT Drinking Water

Test Report Number	GES/R0526/02001	Issued Date:	07.05.2026
Customer Name & Address	Issued to: M/s ST.JOHNS SENIOR SECONDARY PUBLIC SCHOOL 117, BANK STREET, MEERUT CANTT, MEERUT, U.P-250001		
DETAILS OF SAMPLE			
Job Order Number	GES/2026/05W02001	Sample Receiving Date	02.05.2026
Sample Description	One Sample of Drinking Water	Sample Quantity	500 ml
Sampling Location	From RO	Sample Packing	Sterilized Glass Bottle
Sampling Date	02.05.2026	Sample Marking	RO/Drinking Water
Sampling Protocol	IS: 1622	Type of Sampling	Grab Sampling
Weather Condition	Clear	Analysis Start Date	04.05.2026
Sampling Done by	GETS Laboratory Representative	Analysis End Date	05.05.2026

RESULTS

WATER QUALITY ANALYSIS

Bacteriological Parameters:

S. No.	Parameters	Unit	Requirement as per (IS-10500-2012) Amnd4	Results	Test Method
1	Total Coliform	Per 100ml	Shall not be detectable	Absent	IS: 15185-2016RA2021
2	E.Coli	Per 100ml	Shall not be detectable	Absent	IS: 15185-2016RA2021



Checked by Vasiy
Format No.-GEF-03, Issue No.-01, Issue Date- 20.08.2024



End of Report***

Terms & Conditions :

1. Sample Will be retained for 15 days from the date of issue of test report.
2. The results given above are related only to the sample tested or sampled and tested thereafter
3. This report cannot be used as evidence in court of law without the written approval of the lab.
4. Report shall not be reproduced, except in full, without prior written approval of the laboratory.





GREEN ENVIRO TECH SERVICES PVT. LTD.

An Analytical Laboratory

(AN ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified)

Plot No.-69, Kherli Hafizpur, Gr. Noida, G.B. Nagar-203202

E-mail : getslab2024@gmail.com | Website : www.getslab.in

Ph.: 9971888596, 9927955952, 8800716254, 9719569969, 8218823578



TEST REPORT

Ground Water

Test Report Number	GES/R0526/02002		Issued Date: 07.05.2026
Customer Name & Address	Issued to: M/s ST.JOHNS SENIOR SECONDARY PUBLIC SCHOOL 117, BANK STREET, MEERUT CANTT, MEERUT, U.P-250001		
DETAILS OF SAMPLE			
Job Order Number	GES/2026/05W02002	Sample Receiving Date	02.05.2026
Sample Description	One Sample of Ground Water	Sample Quantity	2 L
Sampling Location	From Bore well Water	Sample Packing	Plastic Bottle
Sampling Date	02.05.2026	Sample Marking	Bore well/Ground Water
Sampling Protocol	GES/CH/SOP/7.3-04	Type of Sampling	Grab Sampling
Weather Condition	Clear	Analysis Start Date	04.05.2026
Sampling Done by	GETS Laboratory Representative	Analysis End Date	07.05.2026

RESULTS

WATER QUALITY ANALYSIS

S. No	Parameters	Unit	Results	Max Requirement as per (IS-10500-2012) Amnd4		Test Method
				Acceptable	Permissible (in absence of alternate source)	
1	pH Value at 25 °C	-	7.47	6.5-8.5	No Relaxation	IS: 3025 (Part-11)2022
2	Color	Hazen	<5	5	15	IS: 3025 (Part-04)2021
3	Turbidity	NTU	<1	1	5	IS: 3025 (Part-10)2023
4	Total Dissolved Solids	mg/l	470	500	2000	IS: 3025 (Part-16)2023
5	Total Alkalinity (as CaCO ₃)	mg/l	164	200	600	IS: 3025 (Part-23)2023
6	Total Hardness (as CaCO ₃)	mg/l	134	200	600	IS: 3025 (Part-21)2009RA2023
7	Calcium (as Ca)	mg/l	33	75	200	IS: 3025 (Part-40)2024
8	Magnesium (as Mg)	mg/l	12.3	30	100	IS: 3025 (Part-46)2023
9	Chloride (as Cl)	mg/l	138	250	1000	IS: 3025 (Part-32)2025
10	Nitrate (as NO ₃)	mg/l	5.6	45	No Relaxation	IS: 3025 (Part-34/Sec-1)2024
11	Fluoride (as F)	mg/l	0.2	1	1.5	IS: 3025 (Part-60)2023
12	Sulphate as (SO ₄)	mg/l	24	200	400	IS: 3025 (Part-24/Sec-1)2022
13	Iron as Fe	mg/l	<0.1	1.0	No Relaxation	IS: 3025 (Part-53)2024
14	Zinc as Zn	mg/l	0.25	5	15	IS: 3025 (Part-49)2024



Checked by
Format No.-GES/7.3/03, Issue No.-01, Issue Date- 20.08.2024

Green Enviro Tech Services Pvt. Ltd.

Authorized by
Dharmendra Kumar
Quality Manager

Page 01 of 01

End of Report

Terms & Conditions :

1. Sample Will be retained for 15 days from the date of issue of test report.
2. The results given above are related only to the sample tested or sampled and tested thereafter
3. This report cannot be used as evidence in court of law without the written approval of the lab.
4. Report shall not be reproduced, except in full, without prior written approval of the laboratory.





GREEN ENVIRO TECH SERVICES PVT. LTD.

An Analytical Laboratory

(AN ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified)

Plot No.-69, Kherli Hafizpur, Gr. Noida, G.B. Nagar-203202

E-mail : getslab2024@gmail.com | Website : www.getslab.in

Ph.: 9971888596, 9927955952, 8800716254, 9719569969, 8218823578



TEST REPORT Ground Water

Test Report Number	GES/R0526/02002	Issued Date:	07.05.2026
Customer Name & Address	Issued to: M/s ST.JOHNS SENIOR SECONDARY PUBLIC SCHOOL 117, BANK STREET, MEERUT CANTT, MEERUT, U.P-250001		
DETAILS OF SAMPLE			
Job Order Number	GES/2026/05W02002	Sample Receiving Date	02.05.2026
Sample Description	One Sample of Ground Water	Sample Quantity	500 ml
Sampling Location	From Bore well Water	Sample Packing	Sterilized Glass Bottle
Sampling Date	02.05.2026	Sample Marking	Bore well/Ground Water
Sampling Protocol	IS: 1622	Type of Sampling	Grab Sampling
Weather Condition	Clear	Analysis Start Date	04.05.2026
Sampling Done by	GETS Laboratory Representative	Analysis End Date	05.05.2026

RESULTS

WATER QUALITY ANALYSIS

Bacteriological Parameters:					
S. No.	Parameters	Unit	Requirement as per (IS-10500-2012) Amnd4	Results	Test Method
1	Total Coliform	Per 100ml	Shall not be detectable	Absent	IS: 15185-2016RA2021
2	E.Coli	Per 100ml	Shall not be detectable	Absent	IS: 15185-2016RA2021



Checked by
Prerna Vishnoi

Format No.-01, Issue No.-01, Issue Date- 20.08.2024



PRERNA VISHNOI
Senior Microbiologist

Authorized by
End of Report

Terms & Conditions :

1. Sample Will be retained for 15 days from the date of issue of test report.
2. The results given above are related only to the sample tested or sampled and tested thereafter
3. This report cannot be used as evidence in court of law without the written approval of the lab.
4. Report shall not be reproduced, except in full, without prior written approval of the laboratory.

